

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Ad	ALLUVIAL LAND								
		ALLUVIAL LAND	100	> 72	Rare	Very limited	Very limited	Moderately rapid	Low
Ao	ALLUVIAL LAND, OCCASIONALLY FLOODED								
		ALLUVIAL LAND	100	> 72	Occasional	Very limited	Very limited	Rapid	Negligible
Aw	ALLUVIAL LAND, WET								
		ALLUVIAL LAND, WET	100	12-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
Baf	BEAD FINE SANDY LOAM, 10 TO 50 PERCENT SLOPES								
		BEAD	90	> 72	None	Very limited	Very limited	Slow	Very high
BbA	BIG BLUE LOAM, 0 TO 1 PERCENT SLOPES								
		BIG BLUE	85	18-72	Rare	Very limited	Very limited	Slow	High
BbB	BIG BLUE LOAM, 1 TO 5 PERCENT SLOPES								
		BIG BLUE	85	18-72	Rare	Very limited	Very limited	Slow	High
BoE	BOGAN SILT LOAM, 5 TO 30 PERCENT SLOPES								
		BOGAN	85	> 72	None	Very limited	Very limited	Slow	High
BsB	BOSLER SANDY LOAM, 1 TO 8 PERCENT SLOPES								
		BOSLER	85	> 72	None	Not limited	Very limited	Moderate	Low
CaF	CARBOL VERY ROCKY SANDY LOAM, 15 TO 60 PERCENT SLOPES								
		CARBOL	85	> 72	None	Very limited	Very limited	Slow	Very high
CeE	CEBOLIA LOAM, 5 TO 30 PERCENT SLOPES								
		CEBOLIA	90	> 72	None	Very limited	Very limited	Slow	Very high
CoE	COCHETOPA LOAM, 5 TO 30 PERCENT SLOPES								
		COCHETOPA	90	> 72	None	Very limited	Very limited	Slow	Very high
CrE	CORPENING FINE SANDY LOAM, 5 TO 40 PERCENT SLOPES								
		CORPENING	85	> 72	None	Very limited	Very limited	Slow	Very high
CuB	CURECANTI GRAVELLY LOAM, 1 TO 8 PERCENT SLOPES								
		CURECANTI	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
DeB	DEWVILLE LOAM, 1 TO 5 PERCENT SLOPES								
		DEWVILLE	90	> 72	None	Not limited	Very limited	Moderate	Low
DeC	DEWVILLE LOAM, 5 TO 15 PERCENT SLOPES								
		DEWVILLE	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
DoE	DOLLARD SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES								
		DOLLARD	85	> 72	None	Very limited	Very limited	Very slow	Very high
DrE	DUFFSON-CORPENING LOAMS, 5 TO 35 PERCENT SLOPES								
		DUFFSON	50	> 72	None	Very limited	Very limited	Slow	Very high
		CORPENING	30	> 72	None	Very limited	Very limited	Slow	Very high
DsE	DUFFSON-SPRING CREEK STONY LOAMS, 5 TO 40 PERCENT SLOPES								
		DUFFSON	65	> 72	None	Very limited	Very limited	Slow	Very high
		SPRING CREEK	20	> 72	None	Very limited	Very limited	Slow	Very high
EvB	EVANSTON LOAM, 1 TO 5 PERCENT SLOPES								
		EVANSTON	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
EvD	EVANSTON LOAM, 5 TO 20 PERCENT SLOPES								
		EVANSTON	85	> 72	None	Somewhat limited	Very limited	Moderately slow	High
FoB	FOLA COBBLY SANDY LOAM, 1 TO 8 PERCENT SLOPES								
		FOLA	90	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
GaA	GAS CREEK SANDY LOAM, 0 TO 1 PERCENT SLOPES								
		GAS CREEK	85	18-72	Rare	Very limited	Very limited	Moderately rapid	Very low
GaB	GAS CREEK SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		GAS CREEK	90	18-72	Rare	Very limited	Very limited	Moderately rapid	Very low
GeB	GATEVIEW COBBLY LOAM, 2 TO 8 PERCENT SLOPES								
		GATEVIEW	90	> 72	None	Not limited	Very limited	Moderately rapid	Low
GeE	GATEVIEW COBBLY LOAM, 8 TO 30 PERCENT SLOPES								
		GATEVIEW	90	> 72	None	Very limited	Very limited	Moderately rapid	Low
GrB	GOLD CREEK SILTY CLAY LOAM, 0 TO 5 PERCENT SLOPES								
		GOLD CREEK	85	18-72	Occasional	Very limited	Very limited	Slow	High
IrA	IRIM LOAM, 0 TO 1 PERCENT SLOPES								
		IRIM	85	12-72	Rare	Very limited	Very limited	Moderate	Low
IrB	IRIM LOAM, 1 TO 5 PERCENT SLOPES								
		IRIM	90	12-72	Rare	Very limited	Very limited	Moderate	Low
JeE	JERRY LOAM, 5 TO 30 PERCENT SLOPES								
		JERRY	90	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
KcE	KEZAR-CATHEDRAL GRAVELLY SANDY LOAM, 5 TO 35 PERCENT SLOPES								
		KEZAR	55	> 72	None	Very limited	Very limited	Slow	High
		CATHEDRAL	30	> 72	None	Very limited	Very limited	Slow	Very high
KuE	KUBLER LOAM, 5 TO 35 PERCENT SLOPES								
		KUBLER	85	> 72	None	Very limited	Very limited	Slow	Very high
LeE	LEAPS SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES								
		LEAPS	85	> 72	None	Very limited	Very limited	Slow	Very high
LhF	LUCKY-CHEADLE GRAVELLY SANDY LOAMS, 5 TO 45 PERCENT SLOPES								
		LUCKY	55	> 72	None	Very limited	Very limited	Slow	High
		CHEADLE	30	> 72	None	Very limited	Very limited	Slow	Very high
MeF	MEREDITH VERY STONY LOAM, 8 TO 50 PERCENT SLOPES								
		MEREDITH	85	> 72	None	Very limited	Very limited	Moderate	High
MoE	MORD LOAM, 5 TO 30 PERCENT SLOPES								
		MORD	85	> 72	None	Very limited	Very limited	Slow	High
MrE	MOROP STONY LOAM, 5 TO 40 PERCENT SLOPES								
		MOROP	90	> 72	None	Very limited	Very limited	Slow	Very high
NuF	NUTRAS STONY LOAM, 10 TO 50 PERCENT SLOPES								
		NUTRAS	85	> 72	None	Very limited	Very limited	Slow	Very high
PhF	PARLIN-HOPKINS CHANNERY LOAM, 5 TO 45 PERCENT SLOPES								
		PARLIN	55	> 72	None	Very limited	Very limited	Slow	Very high
		HOPKINS	25	> 72	None	Very limited	Very limited	Moderate	High
PmF	PARLIN-MERGEL GRAVELLY LOAM. 5 TO 45 PERCENT SLOPES								
		PARLIN	65	> 72	None	Very limited	Very limited	Slow	Very high
		MERGEL	20	> 72	None	Very limited	Very limited	Moderate	High
PoF	POSANT VERY ROCKY LOAM, 10 TO 60 PERCENT SLOPES								
		POSANT	85	> 72	None	Very limited	Very limited	Slow	Very high
PwE	POWDERHORN LOAM, 5 TO 30 PERCENT SLOPES								
		POWDERHORN	80	> 72	None	Very limited	Very limited	Slow	High
RcE	REDCLOUD CHANNERY LOAM, 3 TO 30 PERCENT SLOPES								
		REDCLOUD	85	> 72	None	Very limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Ro	ROCK OUTCROP								
		ROCK OUTCROP	100	> 72	None	Very limited	Very limited	Very slow	Very high
Rs	ROCK SLIDES								
		ROCK SLIDES	100	> 72	None	Very limited	Very limited	Very rapid	Low
RuE	RUBY GRAVELLY SANDY LOAM, 5 TO 30 PERCENT SLOPES								
		RUBY	85	> 72	None	Very limited	Very limited	Moderately slow	High
RyE	RUBY EXTREMELY ROCKY SANDY LOAM, 5 TO 40 PERCENT SLOPES								
		RUBY	85	> 72	None	Very limited	Very limited	Moderately slow	Very high
SsF	SHULE AND SAPINERO LOAMS, 10 TO 50 PERCENT SLOPES								
		SHULE	65	> 72	None	Very limited	Very limited	Moderately slow	Very high
		SAPINERO	20	> 72	None	Very limited	Very limited	Moderately slow	Very high
St	STONY ROCK LAND								
		STONY ROCK LAND	100	> 72	None	Very limited	Very limited	Rapid	Low
SuE	SUNSHINE LOAM, 5 TO 35 PERCENT SLOPES								
		SUNSHINE	90	> 72	None	Very limited	Very limited	Slow	High
TrF	TONGUE RIVER LOAM, 10 TO 50 PERCENT SLOPES								
		TONGUE RIVER	90	> 72	None	Very limited	Very limited	Slow	High
UtF	UINTA AND TOLVAR SOILS, 10 TO 50 PERCENT SLOPES								
		UINTA	40	> 72	None	Very limited	Very limited	Moderately slow	Very high
		TOLVAR	40	> 72	None	Very limited	Very limited	Moderate	High
VuE	VULCAN GRAVELLY SANDY LOAM, 10 TO 35 PERCENT SLOPES								
		VULCAN	85	> 72	None	Very limited	Very limited	Slow	Very high
WeF	WETTERHORN STONY LOAM, 10 TO 55 PERCENT SLOPES								
		WETTERHORN	85	> 72	None	Very limited	Very limited	Slow	High
WoF	WOODHALL EXTREMELY ROCKY LOAM, 5 TO 50 PERCENT SLOPES								
		WOODHALL	85	> 72	None	Very limited	Very limited	Slow	Very high
WvF	WOOSLEY VERY ROCKY LOAM, 10 TO 60 PERCENT SLOPES								
		WOOSLEY	85	> 72	None	Very limited	Very limited	Slow	Very high
YgE	YOUNGA LOAM, 3 TO 30 PERCENT SLOPES								
		YOUNGA	90	> 72	None	Very limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
YIE	YOUUMAN-LEAPS LOAMS, 5 TO 35 PERCENT SLOPES								
		YOUUMAN	60	> 72	None	Very limited	Very limited	Slow	Very high
		LEAPS	30	> 72	None	Very limited	Very limited	Slow	Very high
YpE	YOUUMAN-PASSAR LOAMS, 5 TO 30 PERCENT SLOPES								
		YOUUMAN	55	> 72	None	Very limited	Very limited	Slow	Very high